


SEGR





SE GR STANDARD ENDMILLS

For Graphite






 Solid Carbide SE GR Endmills, 4 flutes, DIAMOND respectively
 DLC coated for machining graphite
 Fraises 2 tailles SE GR en carbure monobloc, 4 dents,
 revêtues DIAMANT respectivement DLC pour usinage de graphite
 整体硬口合金 SE GR 系列 立铣刀 - 石墨操作
 4刃 - DLC 口石涂口 - 口准口度


 VHM SE GR Fräser, 4 Zähne, DIAMANT bzw. DLC beschichtet
 zur Bearbeitung von Graphit

 Frese SE GR in metallo duro integrale, 4 taglienti, rivestite DIAMANTE
 rispettivamente DLC per lavorazioni in grafite



EDPNo./EDV-Nr./ CODEusine/CodiceEDP = *+Ødata	Dimension (mm)						875*	750*	212*
	D	I1	I2	L	d2 (h6)	D0700	DCT01	DCT02	
0100 040 03	1	3	6	40	3	●	●	-	
0150 040 03	1.5	4.5	9	40	3	●	●	-	
0200 040 03	2	6.5	12	40	3	●	●	-	
0250 040 03	2.5	6.5	13	40	3	●	●	-	
0300	3	9	18	40	3	●	●	●	
0400	4	12	20	50	4	●	●	●	
0500	5	15	20	50	5	●	●	●	
0600	6	20	30	60	6	●	●	●	
0800	8	20	30	64	8	●	●	●	
1000	10	22	35	70	10	●	●	●	
1200	12	25	40	75	12	●	●	●	
						639*	751*	763*	

 Tools with **recess** upon request
 Fräser mit **Freistellung** auf Bestellung
 Outils avec **dégagement** sur demande
 Utensilli con **riduzione gambo** su richiesta
 密齿 立铣刀 带颈位 特别要求



Material group - Material-Gruppe - Groupe matière - Gruppo materiali - 材质主类

M02	M03	M04	M05	M06	M07	M08	M09	M10	M11	M12	M13	M14	M15	M18	M22	M25	M31	M16	M20	M17	M19	M21	M23	M24	M32
M26	M27	M28	M33	M01	M29	M30																			

Working Material | Cutting Parameter



576

294

SE GR ENDMILLS - with LONG NECK

For Graphite

 Solid Carbide long SE GR Endmills with Long Neck,
 2 flutes, DIAMOND respectively DLC coated for machining graphite
 Fraises 2 tailles SE GR avec cou long longues en carbure monobloc,
 2 dents, revêtues DIAMANT respectivement DLC pour usinage de graphite
 整体硬口合金 SE GR 系列 立刀刀 - 石墨操作
 2刃 - DLC 口石涂层 - 中口

 VHM lange SE GR Fräser mit langem Hals, 2 Zähne,
 DIAMANT bzw. DLC beschichtet, zur Bearbeitung von Grafit
 Frese SE GR in metallo duro integrale, 2 taglienti, rivestite DIAMANTE
 rispettivamente DLC, con collo lungo, per lavorazioni in grafite



764*



EDPNo./EDV-Nr./ CODEusine/CodiceEDP	Dimension (mm)						641*	752*	764*
	D	L1	L2	L	d1	d2 (h6)	D0700	DCT01	DCT02
0050 050 03	0.5	1	6	50	0.45	3	●	●	-
0050 050 04	0.5	1	6	50	0.45	4	●	●	-
0060 050 03	0.6	1.2	6	50	0.55	3	●	●	-
0060 050 04	0.6	1.2	6	50	0.55	4	●	●	-
0080 050 03	0.8	1.6	8	50	0.75	3	●	●	-
0080 050 04	0.8	1.6	8	50	0.75	4	●	●	-
0100 060 03	1	3	10	60	0.95	3	●	●	-
0100 060 04	1	3	10	60	0.95	4	●	●	-
0150 060 03	1.5	4.5	15	60	1.45	3	●	●	-
0150 060 04	1.5	4.5	15	60	1.45	4	●	●	-
0200 060 03	2	6.5	20	60	1.95	3	●	●	-
0200 060 04	2	6.5	20	60	1.95	4	●	●	-
0250 060 03	2.5	6.5	25	60	2.4	3	●	●	-
0250 060 04	2.5	6.5	25	60	2.4	4	●	●	-
0300 075 03	3	9	30	75	2.85	3	●	●	●
0300 075 06	3	9	30	75	2.85	6	●	●	●
0300 100 03	3	19	30	100	2.85	3	●	●	●
0300 100 06	3	19	30	100	2.85	6	●	●	●
0400 075 04	4	12	32	75	3.85	4	●	●	●
0400 075 06	4	12	32	75	3.85	6	●	●	●
0400 100 04	4	25	40	100	3.85	4	●	●	●
0400 100 06	4	25	40	100	3.85	6	●	●	●
0500 075 05	5	15	32	75	4.85	5	●	●	●
0500 075 06	5	15	32	75	4.85	6	●	●	●
0500 100 05	5	25	60	100	4.85	5	●	●	●
0500 100 06	5	25	60	100	4.85	6	●	●	●
0600	6	25	60	100	5.85	6	●	●	●
0800	8	25	60	100	7.85	8	●	●	●
1000	10	25	60	100	9.85	10	●	●	●
1200 100	12	25	60	100	11.85	12	●	●	●
1200 150	12	25	80	150	11.85	12	●	●	●

Material group - Material-Gruppe - Groupe matière - Gruppo materiali - 材质主类

M02	M03	M04	M05	M06	M07	M08	M09	M10	M11	M12	M13	M14	M15	M18	M22	M25	M31	M16	M20	M17	M19	M21	M23	M24	M32
M26	M27	M28	M33	M01	M29	M30																			

Working Material | Cutting Parameter

576



294


MODIFICHE TECNICHE POSSIBILI SENZA PREAVVISO

SE GR ENDMILLS - with LONG NECK

For Graphite

 Solid Carbide long SE GR Endmills with Long Neck,
 4 flutes, DIAMOND respectively DLC coated for machining graphite
 Fraises 2 tailles SE GR avec cou long longues en carbure monobloc,
 4 dents, revêtues DIAMANT respectivement DLC pour usinage de graphite
 整体硬口合金 SE GR 系列 立刀刀 - 石墨操作
 4刃 - DLC 口石涂层 - 中口

 VHM lange SE GR Fräser mit langem Hals, 4 Zähne,
 DIAMANT bzw. DLC beschichtet, zur Bearbeitung von Grafit
 Frese SE GR in metallo duro integrale, 4 taglienti, rivestite DIAMANTE
 rispettivamente DLC, con collo lungo, per lavorazioni in grafite



EDPNo./EDV-Nr./ CODEusine/CodiceEDP	Dimension (mm)						874*	753*	765*
	D	l1	l2	L	d1	d2 (h6)	D0700	DCT01	DCT02
0050 050 03	0.5	1	6	50	0.45	3	●	●	-
0050 050 04	0.5	1	6	50	0.45	4	●	●	-
0060 050 03	0.6	1.2	6	50	0.55	3	●	●	-
0060 050 04	0.6	1.2	6	50	0.55	4	●	●	-
0080 050 03	0.8	1.6	8	50	0.75	3	●	●	-
0080 050 04	0.8	1.6	8	50	0.75	4	●	●	-
0100 060 03	1	3	10	60	0.95	3	●	●	-
0100 060 04	1	3	10	60	0.95	4	●	●	-
0150 060 03	1.5	4.5	15	60	1.45	3	●	●	-
0150 060 04	1.5	4.5	15	60	1.45	4	●	●	-
0200 060 03	2	6.5	20	60	1.95	3	●	●	-
0200 060 04	2	6.5	20	60	1.95	4	●	●	-
0250 060 03	2.5	6.5	25	60	2.4	3	●	●	-
0250 060 04	2.5	6.5	25	60	2.4	4	●	●	-
0300 075 03	3	9	30	75	2.85	3	●	●	●
0300 075 06	3	9	30	75	2.85	6	●	●	●
0300 100 03	3	19	30	100	2.85	3	●	●	●
0300 100 06	3	19	30	100	2.85	6	●	●	●
0400 075 04	4	12	32	75	3.85	4	●	●	●
0400 075 06	4	12	32	75	3.85	6	●	●	●
0400 100 04	4	25	40	100	3.85	4	●	●	●
0400 100 06	4	25	40	100	3.85	6	●	●	●
0500 075 05	5	15	32	75	4.85	5	●	●	●
0500 075 06	5	15	32	75	4.85	6	●	●	●
0500 100 05	5	25	60	100	4.85	5	●	●	●
0500 100 06	5	25	60	100	4.85	6	●	●	●
0600	6	25	60	100	5.85	6	●	●	●
0800	8	25	60	100	7.85	8	●	●	●
1000	10	25	60	100	9.85	10	●	●	●
1200 100	12	25	60	100	11.85	12	●	●	●
1200 150	12	25	80	150	11.85	12	●	●	●

Material group - Material-Gruppe - Groupe matière - Gruppo materiali - 材质主类

M02	M03	M04	M05	M06	M07	M08	M09	M10	M11	M12	M13	M14	M15	M18	M22	M25	M31	M16	M20	M17	M19	M21	M23	M24	M32
M26	M27	M28	M33	M01	M29	M30																			

Working Material | Cutting Parameter

576



294


若有技术规格变更，恕不事先通知

SE GR STANDARD TORUS ENDMILLS

For Graphite

 Solid Carbide SE GR Standard Torus Endmills, 4 flutes, DIAMOND respectively DLC coated for machining graphite
 Fraises 4 tailles SE GR toriques Standard en carbure monobloc, 4 dents, revêtues DIAMANT respectivement DLC pour usinage de graphite
 整体硬口合金 SE GR 系列 立口刀 - 石墨操作
 4 刃 - DLC 口石涂层 - 口准口度

 VHM SE GR Standard Torusfräser, 4 Zähne, DIAMANT bzw. DLC beschichtet zur Bearbeitung von Grafit
 Frese SE GR torodali Standard, in metallo duro integrale, 4 taglienti, rivestite DIAMANTE rispettivamente DLC, con collo lungo, per lavorazioni in grafite



EDPNo./EDV-Nr./ CODEusine/CodiceEDP = *+Ødata	Dimension (mm)						C08*			142*		811*	
	D	l1	l2	L	d2 (h6)	R	D0700	DCT01	DCT02	DCT01	DCT02	DCT01	DCT02
0100 040 0300 015	1	3		40	3	0.15	●	●	-				
0100 040 0400 015	1	3		40	4	0.15	●	●	-				
0150 040 0300 015	1.5	4.5		40	3	0.15	●	●	-				
0150 040 0400 015	1.5	4.5		40	4	0.15	●	●	-				
0200 040 0300 020	2	6.5		40	3	0.2	●	●	-				
0200 040 0400 020	2	6.5		40	4	0.2	●	●	-				
0250 040 0300 020	2.5	6.5		40	3	0.2	●	●	-				
0250 040 0400 020	2.5	6.5		40	4	0.2	●	●	-				
0300 040 0300 020	3	9		40	3	0.2	●	●	●				
0300 050 0600 020	3	9		50	6	0.2	●	●	●				
0400 050 0400 020	4	12		50	4	0.2	●	●	●				
0400 050 0600 020	4	12		50	6	0.2	●	●	●				
0500 050 0500 020	5	15		50	5	0.2	●	●	●				
0500 050 0600 020	5	15		50	6	0.2	●	●	●				
0600 050 0600 020	6	16		50	6	0.2	●	●	●				
0600 060 0600 020	6	20		60	6	0.2	●	●	●				
0800 064 0800 030	8	20		64	8	0.3	●	●	●				
1000 070 1000 030	10	22		70	10	0.3	●	●	●				
1000 075 1000 030	10	22		75	10	0.3	●	●	●				
1200 075 1200 030	12	25		75	12	0.3	●	●	●				
1600 090 1600 050	16	32		90	16	0.5	●	●	●				
2000 100 2000 050	20	38		100	20	0.5	●	●	●				

Material group - Material-Gruppe - Groupe matière - Gruppo materiali - 材质主类

M02	M03	M04	M05	M06	M07	M08	M09	M10	M11	M12	M13	M14	M15	M18	M22	M25	M31	M16	M20	M17	M19	M21	M23	M24	M32
M26	M27	M28	M33	M01	M29	M30																			

Working Material | Cutting Parameter

576

294